

The Velux logo is a red rectangle with the word "VELUX" in white, bold, sans-serif capital letters. A registered trademark symbol (®) is located at the top right of the word.

VELUX®

The background image shows a bright, modern interior space. A young girl with long, curly brown hair and a woman are sitting on a white bed. The girl is holding a pencil and looking at a book. The woman is leaning over her, also looking at the book. They are both smiling. The room has large, white-framed Velux skylights in the ceiling, which are partially open, letting in natural light. There are several potted plants on the bed and on the floor. A green storage box is visible on the floor. The overall atmosphere is warm and inviting.

Blinds and shutters

Republic of Ireland Price List (Includes VAT)

Valid from 1st July 2026

veluxshop.ie

Blinds and shutters selection guide

Find the ideal solution that protects from the outdoor elements and controls heat and light inside.

Operation				Function							
	More info	Solar	Electric	Manual	Heat protection	Blackout	Insulation	Light filtering	Privacy	Noise reduction	Burglary prevention
Interior light control											
	Blackout roller blind Sleep well day or night. The ideal solution to darken the room.	DSL	DML	DKL	●	●●●●	●●	-	●●●●	-	-
	Duo blackout roller blind Two blinds in one: a blackout blind for a good night's sleep and a pleated blind to diffuse light and increase privacy.	-	-	DFD	●	●●●●	●●	●●●●	●●●●	-	-
	Blackout energy pleated blind Perfect for bedrooms that need blackout at night and extra insulation against the cold.	FSC	FMC	FHC	●	●●●●	●●●	-	●●●●	-	-
	Basic blackout blind Provides a blackout effect. Ideal for replacing an old blind with a cost-effective solution. Only compatible with roof windows manufactured before 2014.	-	-	DBL	●	●●●	●	-	●●●●	-	-
	Translucent roller blind Offers privacy whilst still allowing natural light in.	RSL	RML	RFL	-	-	-	●●●●	●●●	-	-
	Translucent pleated blind Provides an excellent way to control daylight and add a decorative touch.	FSL	FML	FHL	-	-	-	●●●●	●●●	-	-
	Venetian blind A classic, moisture-resistant light-dimming and privacy solution that's easy to clean.	-	-	PAL	●	●	-	●●●	●●●	-	-
● Good ●● Very good ●●● Excellent ●●●● Best											



CO₂ reduced
with recycled
materials*



Translucent roller blind RFY



Blackout roller blind DKY

Colour options

Blackout roller blind DKY



Forest
4901

Marsh
4902



Lake
4903


Cave
4904

Translucent roller blind RFY



Clouds
4951

Dunes
4952



Woods
4953

Cliffs
4954

Nature collection

For design and environmentally-conscious consumers, our Nature collection roller blinds come in a range of colours that allow you to bring the peace and tranquility of nature directly into your home. The blinds are made from a minimum 50% recycled fabric and 75% recycled aluminium and have a lower carbon footprint than the standard option. All with a 50% lower carbon footprint during production compared to ordinary VELUX blinds.

Blackout roller blind DKY

- Excellent blackout to darken the room.

Translucent roller blind RFY

- Softens incoming light and provides privacy.

Blackout roller blind DKY and Translucent roller blind RFY

- Available with white or brushed aluminium side rails.
- Combine with an exterior Anti-heat blind or shutter for effective heat protection. Read more on page 24.
- Combine with an Insect screen to enjoy fresh air without unwanted visitors. Read more on page 45.

✓ Installation – it just clicks

- Click on the blind. Add side rails. That's it. Original VELUX blinds are tailored to your roof window, making installation fast and easy.

Certifications

- OEKO-TEX® STANDARD 100 (2276-378) – The original safety standard
- OEKO-TEX® STeP (22002567) – Responsible production for people and planet
- Our products hold verified EPD certificates complying with the European Standard EN 15804+A2



Most sold window sizes			CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
Sizes (w×h) cm			55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140
	Manual operation	DKY	120.54	120.54	130.38	142.68	152.52	147.60	159.90	169.74	167.28	189.42	201.72	196.80	204.18	231.24
		RFY	120.54	120.54	130.38	142.68	152.52	147.60	159.90	169.74	167.28	189.42	201.72	196.80	204.18	231.24

To order the blind with white side rails, simply add WL to the end of your product code.
* The blinds are made from minimum 50% recycled fabric, minimum 75% recycled aluminium and come in 100% plastic-free packaging.

All prices in EUR (€)
Price shown is incl. VAT
Find EPDs at velux.ie/technical-library



Blackout roller blind

The VELUX Blackout roller blind offers blackout for darkness anytime, ideal for bedrooms to ensure a good night's sleep or a daytime nap.

- Excellent blackout.
- Upgrade to a solar or electric blind to enjoy complete light-control at your fingertips.
- Available with white or brushed aluminium side rails.
- Combine your manual blind with an Anti-heat blind and save 10%. Read more on page 12.
- Combine with an Insect screen to enjoy fresh air without unwanted visitors. Read more on page 45.


Most sold window sizes	CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
Sizes (w×h) cm	55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140

Manual DKL	Standard	K sizes, e.g. MK04	105.78	105.78	113.16	123.00	132.84	127.92	137.76	147.60	145.14	164.82	174.66	172.20	177.12	201.72
	Trend	K sizes, e.g. MK04	-	120.54	130.38	142.68	152.52	147.60	159.90	169.74	167.28	189.42	201.72	196.80	204.18	231.24
	Standard	Non K sizes, e.g. M04	93.48	93.48	100.86	110.70	118.08	115.62	125.46	132.84	130.38	147.60	157.44	154.98	159.90	182.04
	Trend	Non K sizes, e.g. M04	-	108.24	115.62	127.92	135.30	132.84	142.68	152.52	150.06	169.74	182.04	177.12	182.04	209.10


KUX 110 control system is needed if you install an DML into a manually operated VELUX roof window.
To order the blind with white side rails, simply add WL to the end of your product code.

Colour options

Standard colours



Trend colours



✓ Installation – it just clicks

- Click on the blind. Add side rails. That's it. Original VELUX blinds are tailored to your roof window, making installation fast and easy.

📶 Remotes and Apps

- Easily control your VELUX solar and electric products with our remote controls or apps

Read more on page 20.

Certifications

- OEKO-TEX® STANDARD 100 (1076-184) – The original safety standard
- OEKO-TEX® STeP (22002567) – Responsible production for people and planet





Duo blackout roller blind

VELUX Duo blackout roller blind is a blackout roller and a translucent pleated blind in one. It offers the best of both worlds – blackout at night and softly diffused light during the day.

- Two ways to control light in one solution – excellent blackout to darken the room or soften incoming light.
- Choose any colour Blackout roller blind combined with a white pleated blind.
- Available with white or brushed aluminium side rails.
- Combine with an exterior Anti-heat blind or shutter for effective heat protection. Read more on page 24.
- Combine with an Insect screen to enjoy fresh air without unwanted visitors. Read more on page 45.

Colour options

Standard colours1085110007051025

Trend colours30094574455945644575

45764578457745794580

✓ Installation – it just clicks

- Click on the blind. Add side rails. That's it. Original VELUX blinds are tailored to your roof window, making installation fast and easy.

Certifications

- OEKO-TEX® STANDARD 100 (1076-184) – The original safety standard
- OEKO-TEX® STeP (22002567) – Responsible production for people and planet

Most sold window sizes		CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
Sizes (w×h) cm		55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140
	Manual DFD	Standard	135.30	135.30	145.14	162.36	172.20	167.28	179.58	191.88	189.42	214.02	228.78	228.78	263.22
		Trend	157.44	157.44	167.28	184.50	196.80	191.88	206.64	218.94	218.94	246.00	263.22	263.22	302.58

To order the blind with white side rails, simply add WL to the end of your product code.

All prices in EUR (€)
Price shown is incl. VAT.



Basic blackout blind

The VELUX Basic blackout blind is a good alternative for roof windows manufactured before 2014. It is an ideal solution if you simply want to replace your old blind with a cost-effective solution.

- Blackout effect.
- Stepless positioning.
- Only available for VELUX roof windows manufactured before 2014.
- Available in 4 colours and comes with a 2-year guarantee.
- Combine with an exterior Anti-heat blind or shutter for effective heat protection. Read more on page 24.

Colour options

Standard colours4288420442494230

✓ Installation – it just clicks

- Click on the blind. Add side rails. That's it. Original VELUX blinds are tailored to your roof window, making installation fast and easy.

Certifications

- OEKO-TEX® STANDARD 100 (1076-184) – The original safety standard
- OEKO-TEX® STeP (22002567) – Responsible production for people and planet

Windows from before 2014

Most sold window sizes			C02	C04	F06	M04	M06	M08	P08	S06	U04	U08
Sizes (w×h) cm			55×78	55×98	66×118	78×98	78×118	78×140	94×140	114×118	134×98	134×140
												
	Manual operation	DBL	71.34	71.34	83.64	81.18	86.10	93.48	103.32	108.24	110.70	127.92

All prices in EUR (€)
Price shown is incl. VAT.



Children's collection

The greatest adventures start with a good night's sleep. VELUX Children's collection blinds feature inspirational and cheerful designs made for kids' rooms. Available as a Blackout blind or as a Duo blackout blind that combines blackout and light dimming in one solution.

Blackout roller blind DKL

- Excellent blackout to darken the room.

Duo blackout roller blind DFD

- Two ways to control light in one solution – blackout the room completely or soften incoming light.
- Choose any Children's collection Blackout roller blind combined with a white pleated blind.

Blackout roller blind DKL and Duo blackout roller blind DFD


- Available with white or brushed aluminium side rails.
- Combine with an exterior Anti-heat blind or shutter for effective heat protection. Read more on page 24.
- Combine with an Insect screen to enjoy fresh air without unwanted visitors. Read more on page 45.

Most sold window sizes			CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
Sizes (w×h) cm			55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140
															
 Manual operation	DKL	K sizes, e.g. MK04	120.54	130.38	142.68	152.52	147.60	159.90	169.74	167.28	189.42	201.72	196.80	204.18	231.24
	DKL	Non K sizes, e.g. M04	108.24	115.62	127.92	135.30	132.84	142.68	152.52	150.06	169.74	182.04	177.12	182.04	209.10
	DFD		157.44	167.28	184.50	196.80	191.88	206.64	218.94	218.94	246.00	263.22	255.84	263.22	302.58

To order the blind with white side rails, simply add WL to the end of your product code.

All prices in EUR (€)
Price shown is incl. VAT.

Colour options



✓ Installation – it just clicks

- Click on the blind. Add side rails. That's it. Original VELUX blinds are tailored to your roof window, making installation fast and easy.

Certifications

- OEKO-TEX® STANDARD 100 (1076-184) – The original safety standard
- OEKO-TEX® STeP (22002567) – Responsible production for people and planet

Combine interior and exterior blinds


Find your perfect pairing with a manual interior blind and exterior Anti-heat blind.

- Combine a manual interior blind and exterior Anti-heat blind and enjoy double the benefit, for less.
- Interior blinds are available in 4 standard colours and in 2 side rail options – white or brushed aluminium.
- The manual Anti-heat blind comes with simple-to-handle hook fixing for positioning on the outside of your roof window.
- Transparent fabric lets in light and retains the view to the outside.
- Easy self-installation from the inside.


Buy your interior and exterior blind together and save 10%




Heat protection plus blackout (DOP)*
Anti-heat blind + Blackout roller blind



Heat protection plus blackout and insulation (FOP)*
Anti-heat blind + Blackout energy pleated blind



Heat protection plus light dimming (ROF)*
Anti-heat blind + Translucent roller blind



Heat protection plus light dimming (FOL)*
Anti-heat blind + Translucent pleated blind

Colour options

1025	1100
1085	0705
1045	1163
1047	1156
1028	9050
1086	4161
1016	1274
1259	1282

* DOP, ROF, FOP and FOL: Are not suitable for GGU, GPU white maintenance-free roof windows with a 3-digit reference number (eg GGU 304), or for GGLS roof windows.



Interior blind for light control
See more on page 28.

Exterior blind for heat protection
See more on page 24.


Most sold window sizes			CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
Sizes (w×h) cm			55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140
																
 Manual operation	DOP	K sizes, e.g. MK04	191.88	191.88	199.26	207.87	232.47	237.39	246.00	254.61	269.37	287.82	296.43	309.96	328.41	350.55
	DOP	Non K sizes, e.g. M04	180.81	180.81	188.19	196.80	218.94	226.32	234.93	241.08	255.84	271.83	280.44	293.97	312.42	332.10
	FOP		218.94	218.94	227.55	243.54	268.14	271.83	282.90	293.97	309.96	332.10	344.40	356.70	373.92	405.90
	ROF		191.88	191.88	199.26	207.87	232.47	237.39	246.00	254.61	269.37	287.82	296.43	309.96	328.41	350.55
	FOL		205.41	205.41	214.02	225.09	250.92	254.61	265.68	274.29	289.05	309.96	321.03	332.10	351.78	376.38

To order the blind with white side rails, simply add WL to the end of your product code.

All prices in EUR (€)
Price shown is incl. VAT.



Customise your roller blinds to match your interior and reflect your personal style



Colour by You

The Colour by You collection lets you customise your roller blinds. Choose from thousands of colours to create the look that you've been dreaming of. Get inspired by trying the colour selection tool at [veluxshop.ie](https://www.veluxshop.ie) and start customising your blinds today.

- Available for Translucent roller blind (RFL, RML, RSL), Blackout roller blind (DKL, DML, DSL) and Duo blackout roller blind (DFD). All with a choice of white or brushed aluminium side rails.
- Combine with an exterior Anti-heat blind or shutter for effective heat protection. Read more on page 24.
- Combine with an Insect screen to enjoy fresh air without unwanted visitors. Read more on page 45.

✓ Installation – it just clicks

- Click on the blind. Add side rails. That's it. Original VELUX blinds are tailored to your roof window, making installation fast and easy.

📶 Remotes and Apps

- Easily control your VELUX solar and electric products with our remote controls or apps

Read more on page 20.

Certifications

- OEKO-TEX® STANDARD 100 (1076-184)
 - The original safety standard
- OEKO-TEX® STeP (22002567) – Responsible production for people and planet

Most sold window sizes	CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
Sizes (w×h) cm	55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140

	RFL	120.54	120.54	130.38	142.68	152.52	147.60	159.90	169.74	167.28	189.42	201.72	196.80	204.18	231.24
	DKL K sizes, e.g. MK04	120.54	120.54	130.38	142.68	152.52	147.60	159.90	169.74	167.28	189.42	201.72	196.80	204.18	231.24
	DKL Non K sizes, e.g. M04	108.24	108.24	115.62	127.92	135.30	132.84	142.68	152.52	150.06	169.74	182.04	177.12	182.04	209.10
	DFD	157.44	157.44	167.28	184.50	196.80	191.88	206.64	218.94	218.94	246.00	263.22	255.84	263.22	302.58

To order the blind with white side rails, simply add WL to the end of your product code.

All prices in EUR (€)
Price shown is incl. VAT.



Blackout energy pleated blind

VELUX Blackout energy pleated blinds provide both blackout and insulation, perfect for bedrooms that need blackout at night and extra insulation. Adjust the blind from the top or the bottom* to let in exactly the right amount of light.

- When installed, the blind can reduce window heat loss by up to 21%** for increased comfort.
- Blackout for a great night's sleep or a nap during the day.
- Insulation for increased comfort during colder months.
- A flying blind design that can be placed anywhere on the roof window.*
- Upgrade to a solar or electric blind to enjoy complete light-control at your fingertips.
- Available with white or brushed aluminium side rails.
- Combine your manual blind with a manual Anti-heat blind and save 10%. Read more on page 12.
- Combine with an Insect screen to enjoy fresh air without unwanted visitors. Read more on page 45.

Most sold window sizes	CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
Sizes (w×h) cm	55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140

	Manual FHC	Standard	135.30	135.30	145.14	162.36	172.20	167.28	179.58	191.88	189.42	214.02	228.78	223.86	228.78	263.22
		Trend	-	157.44	167.28	184.50	196.80	191.88	206.64	218.94	218.94	246.00	263.22	255.84	263.22	302.58

KUX 110 control system is needed if you install an FMC into a manually operated VELUX roof window. To order the blind with white side rails, simply add WL to the end of your product code.

* Manual version only.

** Thermal insulation percentage is based on the blind installed on a triple-glazed roof window (IGU66SG).

All prices in EUR (€)
Price shown is incl. VAT.

Colour options

Standard colours



Trend colours



✓ Installation – it just clicks

- Click on the blind. Add side rails. That's it. Original VELUX blinds are tailored to your roof window, making installation fast and easy.

🏠 Remotes and Apps

- Easily control your VELUX solar and electric products with our remote controls or apps

Read more on page 20.

Certifications

- OEKO-TEX® STANDARD 100 (1076-184) – The original safety standard
- OEKO-TEX® STeP (22002567) – Responsible production for people and planet



Translucent roller blind

VELUX Translucent roller blinds provide privacy whilst still allowing in natural light. Perfect for living rooms, offices and playrooms.

- Softens incoming light and provides privacy.
- Upgrade to a solar or electric blind to enjoy complete light control at the touch of a button.
- Available with white or brushed aluminium side rails.
- Combine your manual blind with a manual Anti-heat blind and save 10%. Read more on page 12.
- Combine with an Insect screen to enjoy fresh air without unwanted visitors. Read more on page 45.

Most sold window sizes	CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
Sizes (w×h) cm	55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140

	Manual RFL	Standard	105.78	105.78	113.16	123.00	132.84	127.92	137.76	147.60	145.14	164.82	174.66	172.20	177.12	201.72
		Trend	-	120.54	130.38	142.68	152.52	147.60	159.90	169.74	167.28	189.42	201.72	196.80	204.18	231.24

KUX 110 control system is needed if you install an RML into a manually operated VELUX roof window. To order the blind with white side rails, simply add WL to the end of your product code.

All prices in EUR (€)
Price shown is incl. VAT.

Colour options

Standard colours

1086

9050

4161

1028

Trend colours

4163

4162

4069

4164

4165

4166

4168

4167

4171

4169

4170

4155

✓ Installation – it just clicks

- Click on the blind. Add side rails. That's it. Original VELUX blinds are tailored to your roof window, making installation fast and easy.

Remotes and Apps

- Easily control your VELUX solar and electric products with our remote controls or apps

Read more on page 20.

Certifications

- OEKO-TEX® STANDARD 100 (1076-184)
 - The original safety standard
- OEKO-TEX® STeP (22002567) – Responsible production for people and planet





Translucent pleated blind

The VELUX Translucent pleated blind is a decorative solution that provides privacy whilst diffusing soft natural light into your room. Adjust the blind from the top or the bottom* to let in exactly the right amount of light.

- Softens incoming light and provides privacy.
- A flying blind design that can be placed anywhere on the roof window.*
- Upgrade to a solar or electric blind to enjoy complete light control at the touch of a button.
- Available with white or brushed aluminium side rails.
- Combine with an exterior Anti-heat blind or shutter for effective heat protection. Read more on page 24.
- Combine with an Insect screen to enjoy fresh air without unwanted visitors. Read more on page 45.

Most sold window sizes	CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
Sizes (w×h) cm	55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140

	Manual FHL	Standard	120.54	120.54	130.38	142.68	152.52	147.60	159.90	169.74	167.28	189.42	201.72	196.80	204.18	231.24
		Trend	-	137.76	150.06	164.82	174.66	169.74	182.04	194.34	191.88	218.94	231.24	226.32	233.70	268.14

KUX 110 control system is needed if you install an FML into a manually operated VELUX roof window.
To order the blind with white side rails, simply add WL to the end of your product code.
* Manual version only.

Colour options

Standard colours



1016

1274

1259

1282

Trend colours



1276

1277

1278

1279



1280

1281

1256

1275



1283

1284

1285

1286

✓ Installation – it just clicks

- Click on the blind. Add side rails. That's it. Original VELUX blinds are tailored to your roof window, making installation fast and easy.

Remotes and Apps


- Easily control your VELUX solar and electric products with our remote controls or apps

Read more on page 20.

Certifications

- OEKO-TEX® STANDARD 100 (1076-184)
 - The original safety standard
- OEKO-TEX® STeP (22002567) – Responsible production for people and planet





Colour options

Standard colour


7001


7057

✓ Installation – it just clicks

- Click on the blind. Add side rails. That's it. Original VELUX blinds are tailored to your roof window, making installation fast and easy.

Details



Unique and discreet tilt mechanism makes it very easy to tilt the slats

Venetian blind

This classic solution for light dimming and privacy is perfect for bathrooms and kitchens. It is moisture-resistant and easy to clean.

- Preserves your view while providing privacy.
- Cordless operation.
- Available with white or brushed aluminium side rails.
- Combine with an exterior Anti-heat blind or shutter for effective heat protection. Read more on page 24.
- Combine with an Insect screen to enjoy fresh air without unwanted visitors. Read more on page 45.

Most sold window sizes			CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
			55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140
Sizes (w×h) cm																
	Manual PAL	Standard	135.30	135.30	145.14	162.36	172.20	167.28	179.58	191.88	189.42	214.02	228.78	223.86	228.78	263.22

To order the blind with white side rails, simply add WL to the end of your product code.


All prices in EUR (€)
Price shown is incl. VAT.



Insect screen

Enjoy fresh air without unwanted visitors with a VELUX Insect screen. The screen is simple to operate and can be combined with any other VELUX interior or exterior blind. It has transparent net fabric and stows neatly away in the slim top casing when not in use.

- 100% insect-proof material.
- Transparent net fabric does not obstruct your view.
- Durable, wind-resistant fabric for long-lasting performance.
- OEKO-TEX® STANDARD 100 (1076-184) – The original safety standard.
- OEKO-TEX® STeP (22002567) – Responsible production for people and planet.
- The screen can be combined with any other VELUX interior or exterior blind.



Determine the correct size

- Measure the inner wall width (A) and height (B) to find the size code and price of your insect screen in the table below
- If you have two heights (B) or heights above 2400 mm – two insect screens and one connector set ZOZ 157 SWL are needed.
- IMPORTANT:** Insect screen size codes may differ from window size code, please measure (A) and (B) and find correct size code in the table below before ordering

Installation


- Quick and easy installation

		A						
		0-438mm	439-530mm	531-640mm	641-760mm	761-922mm	923-1120mm	1121-1285mm
B	0-1600mm	ZIL BK04	ZIL CK02	ZIL FK08	ZIL MK06	ZIL PK25	ZIL SK06	ZIL UK04
		157.44	146.37	193.11	193.11	236.16	239.85	247.23
	1601-2000mm	SPECIAL ORDER	ZIL CK06	ZIL FK08	ZIL MK06	ZIL PK06	ZIL SK06	ZIL UK10
		-	173.43	193.11	193.11	211.56	239.85	297.66
	2001-2400mm	SPECIAL ORDER	SPECIAL ORDER	ZIL FK08	ZIL MK10	ZIL PK10	ZIL SK10	ZIL UK10
		-	-	193.11	231.24	244.77	279.21	297.66

All prices in EUR (€)
Price shown is incl. VAT.



Anti-heat blind
(MSU)



5070




Blackout blind
(DSU)



4550



Insect screen
(ZIU)



0000

Blinds for curved and flat glass rooflights

Anti-heat blind

The Anti-heat blind provides light dimming and heat protection to maintain a cool and comfortable room. The blind is discreetly placed inside the rooflight, and is easily installed from the roof when installing the rooflight.

- Reduces overheating.
- Semi-transparent fabric for light control and sky view.
- Solar-powered blind with remote control.
- Not compatible with Blackout blind.

Blackout blind

VELUX Blackout blind for glass rooflights blocks outside light anytime and is perfect for bedrooms. It is discreetly placed inside the rooflight and easily installed from the roof when installing the rooflight.

- Perfect sleep — day or night.
- 99.9% blackout.
- Great for bedrooms and media rooms.
- Solar-powered blind with remote control.
- Not compatible with Anti-heat blind.

Insect screen

VELUX Insect screen for glass rooflights lets you enjoy fresh air and a view to the sky without the distraction of insects. It comes in a contemporary white design and is easy to install and simple to remove for cleaning.

- Fresh air and 100% insect-proof.
- Durable, transparent net fabric does not obstruct your view.
- Can be combined with an Anti-heat blind or a Blackout blind.



Blinds are placed inside the rooflight and mounting is therefore most convenient during the rooflight installation process.

Roof window size (wxh) cm	060060	080080	090060	090090	100100	120090	120120	150080	150100	150120	150150	200060	200100
	60×60	80×80	90×60	90×90	100×100	120×90	120×120	150×80	150×100	150×120	150×150	200×60	200×100
	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Manual ZIU													
Insect screen													
	123.00	127.92	125.46	130.38	132.84	140.22	145.14	136.53	146.37	151.29	166.05	148.83	174.66

Solar MSU and DSU can be combined with our remotes and apps solutions for multiple product operation, scheduling and automation.

All prices in EUR (€)
Price shown is incl. VAT.