

The Velux logo is a red rectangle with the word "VELUX" in white, bold, sans-serif capital letters. A registered trademark symbol (®) is located at the top right of the word.

VELUX®

The background image shows a bright, modern interior space. A young girl with long, curly brown hair and a woman are sitting on a white bed. The girl is holding a pencil and looking at a book. The woman is leaning over her, also looking at the book. They are both smiling. The room has large, white-framed Velux skylights in the ceiling, which are partially open, letting in natural light. There are several potted plants on the floor and on the bed. A green storage box is visible on the floor. The overall atmosphere is warm and inviting.

Blinds and shutters

Republic of Ireland Price List (Includes VAT)

Valid from 1st July 2026

veluxshop.ie

Blinds and shutters selection guide

Find the ideal solution that protects from the outdoor elements and controls heat and light inside.

Operation							Function						
More info	 Solar	 Electric	 Manual				 Heat protection	 Blackout	 Insulation	 Light filtering	 Privacy	 Noise reduction	 Burglary prevention
Exterior heat protection													
	Anti-heat blackout shutter Enjoy superior heat protection, blackout and insulation all year round.	page 25	SSL	SML / SMH	-					-			
	Anti-heat blackout blind Effective heat protection and blackout for comfort day and night.	page 26	SSS	-	-					-			-
	Anti-heat blind Offers heat protection whilst still allowing light in and retaining your view to the outside.	page 27	MSL	MML	MHL			-	-				-
Interior light control													
	Blackout roller blind Sleep well day or night. The ideal solution to darken the room.	page 30	DSL	DML	DKL					-		-	-
	Blackout energy pleated blind Perfect for bedrooms that need blackout at night and extra insulation against the cold.	page 38	FSC	FMC	FHC					-		-	-
	Translucent roller blind Offers privacy whilst still allowing natural light in.	page 40	RSL	RML	RFL		-	-	-			-	-
	Translucent pleated blind Provides an excellent way to control daylight and add a decorative touch.	page 42	FSL	FML	FHL		-	-	-			-	-
Good Very good Excellent Best													



Blackout roller blind


The VELUX Blackout roller blind offers blackout for darkness anytime, ideal for bedrooms to ensure a good night's sleep or a daytime nap.

- Excellent blackout.
- Upgrade to a solar or electric blind to enjoy complete light-control at your fingertips.
- Available with white or brushed aluminium side rails.
- Combine your manual blind with an Anti-heat blind and save 10%. Read more on page 12.
- Combine with an Insect screen to enjoy fresh air without unwanted visitors. Read more on page 45.


Most sold window sizes		CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
Sizes (w×h) cm		55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140
	Standard	268.14	268.14	275.52	285.36	295.20	290.28	300.12	309.96	307.50	327.18	337.02	334.56	339.48	364.08
	Solar DSL Trend	-	282.90	292.74	305.04	314.88	309.96	322.26	332.10	329.64	351.78	364.08	359.16	366.54	393.60

Colour options

Standard colours



Trend colours



✓ Installation – it just clicks

- Click on the blind. Add side rails. That's it. Original VELUX blinds are tailored to your roof window, making installation fast and easy.

Remotes and Apps

- Easily control your VELUX solar and electric products with our remote controls or apps

Read more on page 20.

Certifications

- OEKO-TEX® STANDARD 100 (1076-184) – The original safety standard
- OEKO-TEX® STeP (22002567) – Responsible production for people and planet


KUX 110 control system is needed if you install an DML into a manually operated VELUX roof window.
To order the blind with white side rails, simply add WL to the end of your product code.

All prices in EUR (€)
Price shown is incl. VAT.





Customise your roller blinds to match your interior and reflect your personal style



Colour by You

The Colour by You collection lets you customise your roller blinds. Choose from thousands of colours to create the look that you've been dreaming of. Get inspired by trying the colour selection tool at [veluxshop.ie](https://www.veluxshop.ie) and start customising your blinds today.

- Available for Translucent roller blind (RFL, RML, RSL), Blackout roller blind (DKL, DML, DSL) and Duo blackout roller blind (DFD). All with a choice of white or brushed aluminium side rails.
- Combine with an exterior Anti-heat blind or shutter for effective heat protection. Read more on page 24.
- Combine with an Insect screen to enjoy fresh air without unwanted visitors. Read more on page 45.

✓ Installation – it just clicks

- Click on the blind. Add side rails. That's it. Original VELUX blinds are tailored to your roof window, making installation fast and easy.

📶 Remotes and Apps

- Easily control your VELUX solar and electric products with our remote controls or apps

Read more on page 20.

Certifications

- OEKO-TEX® STANDARD 100 (1076-184)
 - The original safety standard
- OEKO-TEX® STeP (22002567) – Responsible production for people and planet

Most sold window sizes		CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
Sizes (w×h) cm		55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140
															
 Solar	RSL	282.90	282.90	292.74	305.04	314.88	309.96	322.26	332.10	329.64	351.78	364.08	359.16	366.54	393.60
	DSL	282.90	282.90	292.74	305.04	314.88	309.96	322.26	332.10	329.64	351.78	364.08	359.16	366.54	393.60

To order the blind with white side rails, simply add WL to the end of your product code.

All prices in EUR (€)
Price shown is incl. VAT.



Blackout energy pleated blind

VELUX Blackout energy pleated blinds provide both blackout and insulation, perfect for bedrooms that need blackout at night and extra insulation. Adjust the blind from the top or the bottom* to let in exactly the right amount of light.

- When installed, the blind can reduce window heat loss by up to 21%** for increased comfort.
- Blackout for a great night's sleep or a nap during the day.
- Insulation for increased comfort during colder months.
- A flying blind design that can be placed anywhere on the roof window.*
- Upgrade to a solar or electric blind to enjoy complete light-control at your fingertips.
- Available with white or brushed aluminium side rails.
- Combine your manual blind with a manual Anti-heat blind and save 10%. Read more on page 12.
- Combine with an Insect screen to enjoy fresh air without unwanted visitors. Read more on page 45.

Colour options

Standard colours

1045

1047

1163

1156

Trend colours

1164

1165

1166

1167

1168

1169

1155

1170

1049
1171
1172
1173

✓ Installation – it just clicks

- Click on the blind. Add side rails. That's it. Original VELUX blinds are tailored to your roof window, making installation fast and easy.

🏠 Remotes and Apps

- Easily control your VELUX solar and electric products with our remote controls or apps

Read more on page 20.

Certifications

- OEKO-TEX® STANDARD 100 (1076-184) – The original safety standard
- OEKO-TEX® STeP (22002567) – Responsible production for people and planet

Most sold window sizes		CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
Sizes (w×h) cm		55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140
Solar FSC	Standard	297.66	297.66	307.50	324.72	334.56	329.64	341.94	354.24	351.78	376.38	391.14	386.22	391.14	425.58
	Trend	-	319.80	329.64	346.86	359.16	354.24	369.00	381.30	381.30	408.36	425.58	418.20	425.58	464.94

KUX 110 control system is needed if you install an FMC into a manually operated VELUX roof window. To order the blind with white side rails, simply add WL to the end of your product code.

* Manual version only.

** Thermal insulation percentage is based on the blind installed on a triple-glazed roof window (IGU66SG).

All prices in EUR (€)
Price shown is incl. VAT.



Translucent roller blind

VELUX Translucent roller blinds provide privacy whilst still allowing in natural light. Perfect for living rooms, offices and playrooms.

- Softens incoming light and provides privacy.
- Upgrade to a solar or electric blind to enjoy complete light control at the touch of a button.
- Available with white or brushed aluminium side rails.
- Combine your manual blind with a manual Anti-heat blind and save 10%. Read more on page 12.
- Combine with an Insect screen to enjoy fresh air without unwanted visitors. Read more on page 45.

Most sold window sizes		CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
Sizes (w×h) cm		55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140
Solar RSL	Standard	268.14	268.14	275.52	285.36	295.20	290.28	300.12	309.96	307.50	327.18	337.02	334.56	339.48	364.08
	Trend	-	282.90	292.74	305.04	314.88	309.96	322.26	332.10	329.64	351.78	364.08	359.16	366.54	393.60

KUX 110 control system is needed if you install an RML into a manually operated VELUX roof window.
To order the blind with white side rails, simply add WL to the end of your product code.

All prices in EUR (€)
Price shown is incl. VAT.

Colour options

Standard colours

1086

9050

4161

1028

Trend colours

4163

4162

4069

4164

4165

4166

4168

4167

4171

4169

4170

4155

✓ Installation – it just clicks

- Click on the blind. Add side rails. That's it. Original VELUX blinds are tailored to your roof window, making installation fast and easy.

📶 Remotes and Apps

- Easily control your VELUX solar and electric products with our remote controls or apps

Read more on page 20.

Certifications

- OEKO-TEX® STANDARD 100 (1076-184)
 - The original safety standard
- OEKO-TEX® STeP (22002567) – Responsible production for people and planet





Translucent pleated blind

The VELUX Translucent pleated blind is a decorative solution that provides privacy whilst diffusing soft natural light into your room. Adjust the blind from the top or the bottom* to let in exactly the right amount of light.

- Softens incoming light and provides privacy.
- A flying blind design that can be placed anywhere on the roof window.*
- Upgrade to a solar or electric blind to enjoy complete light control at the touch of a button.
- Available with white or brushed aluminium side rails.
- Combine with an exterior Anti-heat blind or shutter for effective heat protection. Read more on page 24.
- Combine with an Insect screen to enjoy fresh air without unwanted visitors. Read more on page 45.

Most sold window sizes		CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
		Sizes (w×h) cm	55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98
Solar FSL	Standard	282.90	282.90	292.74	305.04	314.88	309.96	322.26	332.10	329.64	351.78	364.08	359.16	366.54	393.60
	Trend	-	300.12	312.42	305.04	337.02	332.10	344.40	356.70	354.24	381.30	393.60	388.68	366.54	430.50

KUX 110 control system is needed if you install an FML into a manually operated VELUX roof window.
To order the blind with white side rails, simply add WL to the end of your product code.
* Manual version only.

All prices in EUR (€)
Price shown is incl. VAT.

Colour options

Standard colours

1016

1274

1259

1282

Trend colours

1276

1277

1278

1279

1280

1281

1256

1275

1283

1284

1285

1286

✓ Installation – it just clicks

- Click on the blind. Add side rails. That's it. Original VELUX blinds are tailored to your roof window, making installation fast and easy.

📶 Remotes and Apps

- Easily control your VELUX solar and electric products with our remote controls or apps

Read more on page 20.


Certifications

- OEKO-TEX® STANDARD 100 (1076-184)
 - The original safety standard
- OEKO-TEX® STeP (22002567) – Responsible production for people and planet





Anti-heat blind
(MSU)



5070




Blackout blind
(DSU)



4550



Insect screen
(ZIU)



0000

Blinds for curved and flat glass rooflights

Anti-heat blind

The Anti-heat blind provides light dimming and heat protection to maintain a cool and comfortable room. The blind is discreetly placed inside the rooflight, and is easily installed from the roof when installing the rooflight.

- Reduces overheating.
- Semi-transparent fabric for light control and sky view.
- Solar-powered blind with remote control.
- Not compatible with Blackout blind.

Blackout blind

VELUX Blackout blind for glass rooflights blocks outside light anytime and is perfect for bedrooms. It is discreetly placed inside the rooflight and easily installed from the roof when installing the rooflight.

- Perfect sleep — day or night.
- 99.9% blackout.
- Great for bedrooms and media rooms.
- Solar-powered blind with remote control.
- Not compatible with Anti-heat blind.

Insect screen

VELUX Insect screen for glass rooflights lets you enjoy fresh air and a view to the sky without the distraction of insects. It comes in a contemporary white design and is easy to install and simple to remove for cleaning.

- Fresh air and 100% insect-proof.
- Durable, transparent net fabric does not obstruct your view.
- Can be combined with an Anti-heat blind or a Blackout blind.



Blinds are placed inside the rooflight and mounting is therefore most convenient during the rooflight installation process.

			060060	080080	090060	090090	100100	120090	120120	150080	150100	150120	150150	200060	200100
Roof window size (wxh) cm			60×60	80×80	90×60	90×90	100×100	120×90	120×120	150×80	150×100	150×120	150×150	200×60	200×100
															
	Solar MSU	Anti-heat blind	528.90	551.04	539.97	563.34	574.41	602.70	626.07	591.63	632.22	654.36	718.32	643.29	752.76
	Solar DSU	Blackout blind	528.90	551.04	539.97	563.34	574.41	602.70	626.07	591.63	632.22	654.36	718.32	643.29	752.76

Solar MSU and DSU can be combined with our remotes and apps solutions for multiple product operation, scheduling and automation.

All prices in EUR (€)
Price shown is incl. VAT.




Anti-heat blind

The VELUX Anti-heat blind provides light dimming and heat protection so your indoor temperature stays cool and comfortable. This makes it perfect for living rooms with activity during the day.

6090



Blackout energy pleated blind



1045



1047

Blinds for standard glass rooflights and domes with glazing*

Anti-heat blind**

The VELUX Anti-heat blind provides light dimming and heat protection so your indoor temperature stays cool and comfortable. This makes it perfect for living rooms with activity during the day.

- Reduces solar heating.
- Semi-transparent fabric lets in natural light.
- Available in solar powered operation with app and remote control.

Blackout energy pleated blind

The VELUX blackout energy pleated blind for flat roof windows darkens the room and protects against cold. This makes it the ideal choice for bedrooms and living rooms.

- Blackout and insulating effect.
- Available in solar-powered and electric operation with app and remote control.
- OEKO-TEX® STANDARD 100 (1076-184) – The original safety standard.
- OEKO-TEX® STeP (22002567) – Responsible production for people and planet.

*Also compatible with Curved top unit (ISD 1093) and Flat top unit (ISD 2093) for roof windows CFP/CVP bought before July 2021.

Solar-powered blinds are not compatible with opaque dome with glazing variants.

**Anti-heat blind not compatible with flat glass top unit ISD 2093 for roof windows CFP/CVP.



Roof window size (w x h) cm		060060	060090	080080	090090	100100	090120	120120	100150	150150
		60×60	60×90	80×80	90×90	100×100	90×120	120×120	100×150	150×150
										
 Solar MSG	Anti-heat blind	434.19	444.03	452.64	462.48	467.40	480.93	490.77	499.38	-
 Solar FSK	Blackout energy pleated blind	428.04	437.88	446.49	456.33	460.02	474.78	483.39	493.23	580.56

Solar MSG is not compatible with ISD 2093.
Solar MSG and FSK and electric FMK can be combined with our remotes and apps solutions for multiple product operation, scheduling and automation.

All prices in EUR (€)
Price shown is incl. VAT.